Subsequent De	wark of Shand	mount
FILE NOTATIONS		
Entered in NID File	Checked by Chief	
Entered On 5 R Sheet	Copy NID to Field Office	
Location Map Pinned	Approval Letter 9-11-66	
Card Indexed	Disapproval Letter	
I W R for State or Fee Land		
COMPLETION DATA:		
Date Well Completed 7-29-66	Location Inspected	
OW	Bond released State of Fee Land	
LOGS Driller's Log 10-13-66	FILED	
Electric Logs (No.)		
E E-1	GR-N Micro	
Lat Mi-L So	nic Others	
	Density hoa	

10109/ger

Fo	rm (April	9-331 l 1952)	b

2

(SUBMIT IN TRIPLICA: LE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency	Hava jo
*******	Ware to
Allottee	MENATO
Lana No. 14-	20-0603-9519

NOTICE OF INTENTION TO DRILL		X_	SUBSEQUENT	REPORT	OF WATER SHU	T-OFF		
NOTICE OF INTENTION TO CHANGE I					of shooting (
NOTICE OF INTENTION TO TEST WAT			SUBSEQUENT	REPORT	of altering (CASING		
NOTICE OF INTENTION TO REDRILL					of Redrilling			
NOTICE OF INTENTION TO SHOOT OF					OF ABANDONM			
NOTICE OF INTENTION TO PULL OR	ALTER CASING		SUPPLEMENT	ARY WELL	HISTORY			
NOTICE OF INTENTION TO ABANDON	WELL							
(INDICA	TE ABOVE BY CHECK M	IARK NAT	URE OF REPOR	T, NOTICE	OR OTHER DA	ra)		
				July	· 3,		, 19	<u>66</u>
Navajo-29 Vell No is lo	hag				ft. from	line	of sec. 2	9
1/4 SW/4 Sec. 29 (4 Sec. and Sec. No.) Wildcat	(Twp.)	(R	ange)		(Meridian)	 La in		· . j.
Wildcat	San Ju	uan	ubdivision).			State or Territor		-
he elevation of the derric	k floor above se							
he elevation of the derrice State names of and expected depths A. Moncrief property imate depth	k floor above see DE to objective sands; she ing points, and poses to di of 6,000 fo tion.	TAILS ow sizes, void all other rill eet	of WOI weights, and life important p his Na or to s	RK engths of proposed w vajo- uffic 5/8"	eient de surfac	epth to e casin	test g, cen	th
Tunderstand that this plan of we Company Moncries Moncries Moncries Moncries Moncries Moncries	be to objective sands; she ing points, and poses to disorder to the control of 6,000 for tion. To set of The dril	TAILS of all other rill eet of ling	of WOI weights, and he rimportant p his Na or to s t. of a contes	RK Ingths of proposed we vajo- uffice 5/8" ctor	-27, we cient d surfac- is Mes	epth to e casin a Drill	test E, cen	the
Tunderstand that this plan of we Company He elevation of the derrick state names of and expected depths A. Moncrief property and expected depth exert Creek formate depth exert Creek formate to the surface. I understand that this plan of we Company Moncrief	be to objective sands; she ing points, and poses to disorder to the control of 6,000 for the control of the con	TAILS of all other rill eet of ling	of WOI weights, and he rimportant p his Na or to s t. of a contes	RK Ingths of groposed w Vajo- uffic 5/8" ctor	-27, we cient d surfac- is Mes	epth to e casin a Drill	test E, cen	the

Company W. A. Moncrief,				··········
Well Name & No. Navajo-29, 500 feet from the So Location & Carter	outh line	and 500	from the	West Line
Sec. 29 , T. 43 _ S., R. 25 E., S. L.	M., County	San Juan		Utah
Ground Elevation 5109				
		·		 1
		1		
				_
į		į	•	
,		1		
		1		
S.	ec 29	į		
		1		
		į		
		1		
			· ••• ••• •••	
41				
-500'6 - 1480'-		, !		
12				
Scale, 1 in	nch = 1,000 f	eet		
. November	8		10	9 65
This is to certify that the above plat w			,	
made by me or under my supervision	and that the	same are tr	ue and correct	to the
best of my knowledge and belief.				

Seal

Ernest V. Echohawk
Registere J Land Surveyor
Utah Registration No. 2611

STATE OF UTAH DEPARTMENTAL MEMCIRANDUM

From DEPARTMENT

DATE:

DIVISION

FILE:

To DEPARTMENT

SUB ECT:

DIVISION

July 11, 1966

W. A. Louerief
Moncrief Building
Ninth at Connerce
Fort Worth, Texas 76102

Re: Well No. Navajo #29-2, Sec. 29, T. 43 S., R. 25 E.,

San Juan County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above mentioned well is hereby granted.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer HOME: 277-2890 - Salt Lake City, Utah OFFICE: 328-5771 - 328-5772 - 328-5773

This approval terminates within 90 days if the well has not been spudded-in within said period. Enclosed please find Form OGCC-8-X, which is to be completed if water sands (aquifers) are encountered while drilling, particularly accessible near surface water sands. Your cooperation with respect to completing this form will be greatly appreciated.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF:ah

cc: P. T. McGrath, District Engineer
U. S. Geological Survey
Farmington, New Mexico

July 15, 1965

W. A. Moncrief Moncrief Building Ninth at Commerce Fort Worth, Texas 76102

> Re: Well No. Navajo #29-2 SW SW Sec. 29, T. 43 S., R. 跨 E., San Juan County, Utah

Gentlemen:

Upon reviewing the file of the recently approved above named well, it was observed that its location was an immediate 40-acre offset to the west from the Navajo #29-1 well. Information on the No. 1 well was not available to determine its producing characteristics. In any event, it appears that 40-acre spacing is being established rather than the favorable 80-acre well site locations that have generally been followed throughout the area. This Commission had no alternative but to approve the No. 2 test, however, we did want to bring this matter to your attention.

It would be appreciated if you could forward your comments regarding this situation at your earliest convenience.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

PAUL W. BURCHELL CHIEF PETROLEUM ENGINEER

PWB:kh

CC: Phil McGrath, Dist. Engineer
U. S. Geological Survey
Box 959
Farmington, New Mexico

September 15, 1966

W. A. Moncrief Moncrief Building Ninth at Commerce Fort Worth, Texas 76102

> Re: Well No. Navajo #29-2, Sec. 29, T. 43 S., R. 25 E., San Juan County, Utah

> > Month of August, 1966

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the above mentioned month (s), for the subject well. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGCC-1b (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your immediate attention is required in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANNETTE R. HANSEN RECORDS CLERK

arh

Enclosures: Forms

Form 9–331 (May 1963) DEPARTN GE	TED STATES T OF THE INTERIC	S JBMIT IN TR (1)ther instruct verse side)	Form approved Budget Bureau 5. LEASE DESIGNATION A 14-20-0603 6. IF INDIAN, ALLOTTEE	No. 42-R1424. ND SERIAL NO. -9519
(Do not use this form for proposal Use "APPLICAT	lug & Abandon / Implin Petroleum (h at Commerce, Fourly and in accordance with any secondary)	Ory Company 76102 Ort Worth, Texas	Navajo 7. UNIT AGREEMENT NAM Navajo -29 8. FARM OR LEASE NAM Navajo -29 9. WELL NO. 2 10. FIELD AND POOL, OR Wildcat 11. SEC., T., B., M., OR B SURVEY OR AREA 29-43S-25E,	WILDCAT LE. AND
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, 5.109 GR	RT, GR, etc.)	12. COUNTY OR PARISH San Juan	Utah
NOTICE OF INTENT	propriate Box To Indicate N	ature of Notice, Report, or C	Other Data UENT REPORT OF: REPAIRING V ALTERING CA	11

(Other)

(Other)

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. Describe proposed or completed operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

ABANDONMENT*

FRACTURE TREAT

SHOOT OR ACIDIZE

8 5/8" surface set @ 505 ft. & cemented w/ 270 sxs, + 2% Calcium chloride. Plugs set at 4,900 ft., 3,050 ft., 500ft., Cement circulated to surface. set top plug & erected dry hole marker 7-29-66.

18. I hereby certify that the foregoing is true and correct SIGNED	TITLE Agent	DATE	10-10-66
(This space for Federal or State office use) APPROVED BY CONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE	

Form 9-330 (Rev. 5-63)

UNN DEPARTMENT OF THE IN

SUBNIT IN DUPLICATE~

(See other instructions on

Form approved. Budget Bureau No. 42-I	23 55.
--	---------------

X :	DEPARTM	ENT OF THE	= 1171	ERIUR		reverse si	de) J. DEASE		ON AND SERIAL NO.
i et t	GEC	LOGICAL SUI	RVEY				14	-20-06	503-9519
	•			-DODT /	NID	1 OG *	6. IF IN	DIAN, ALLOT	TTEE OR TRIBE NAME
WELL CON	APLETION OF	R RECOMPLETI	ON KI	PORT	AIND	<u> </u>	Na	vajo	
ia. TYPE OF WELL			(F)	ther			7. UNIT	AGREEMENT	
b. TYPE OF COMP		-					Na	vajo -	-29
NEW	WORK DEEP- C	PLUG DIFF	vr. O	ther				OR LEASE	
O WIND OF OPERATO	ID							vajo -	- 29
w A Mon	crief & Cha	amplin Petro	leum	Compain	y	· · · · · · · · · · · · · · · · · · ·	9. WELL	NO.	•
3. ADDRESS OF OPERA	ATOR					7610		n AND BOOL	L, OR WILDCAT
Moncrief	Bldg., Nink	th at Commen	rce, I	Fort Wo	rth	, Texa	(D)		.,
4. LOCATION OF WELL	. (Report location cle	arly and in accordance	with any	State require	menta)	•	11 SEC	.ldcat	OR BLOCK AND SURVEY
At surface 500	FS & WL	Sec. 29-43S	-29E				OR.	AREA	
At top prod. inte	rval reported below								
							29)-43S-1	25E, SLM
At total depth		1 14 PF	RMIT NO.		DATE IS	SUED	12. cou	NTY OR	13. STATE
		Annr	oved '	7/66			San	luan	Utah
-	16 DAME OF DEACH	HPD1	(Ready to	prod.)	ELEVA'	rions (DF,	RKB, RT, GR, ET		ELEV. CASINGHEAD
5. DATE SPUDDED		7-29-	Calak			109 G			
7-12-66 20. TOTAL DEPTH, MD 8	(-2(-00 21 PLIE PA		2. IF MULT	IPLE COMPL.,		23. INTERV	ALS ROTARY	TOOLS	CABLE TOOLS
	21. FEOG, BA	OR 1.DI, ND C 110	HOW MA	NY*	ļ	DRILLE	." Rota	ary	
5,310	VALUE OF THIS COM	PLETION—TOP, BOTTOM,	NAME (M	D AND TVE)*	.			2	5. WAS DIRECTIONAL SURVEY MADE
24. PRODUCING INTER	VAL(S), OF THIS COM								
Mana								- '	
None								27. V	WAS WELL CORED
•	ensity)								
<u>Welex (De</u> 28.	E118 I 0 y /	CASING REC	ORD (Rep	ort all strings	set in	well)			
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)		E SIZE			TING RECORD		MOUNT PULLED
8 5/8	24#	506 KB	1	1"	270		2% CA.	U3- •	None
1/1/2	9.50#	5,310			75	sx R	.eg.		
					<u> </u>		munua	DECORE	
29.	LIN	ER RECORD				30.	DEPTH S	RECORD	PACKER SET (MD)
SIZE	TOP (MD) BO	TTOM (MD) SACKS	CEMENT*	SCREEN (M	D) -	SIZE	- DEPTH S	ET (MD)	TAGMAN
									_
					4.67	D GIVOT I	FRACTURE, CI	EMENT SO	HEEZE, ETC.
31. PERFORATION RE	CORD (Interval, size o	ind number)		32.					MATERIAL USED
				DEPTH IN	TERVAL	(MD)	A.HOCH Z II-	-	
				<u> </u>				4	
			PRO	DUCTION					
33.* DATE FIRST PRODUCT	PION PRODUCT	ION METHOD (Flowing,			and ty	pe of pump)	WELL STAT	cus (Producing or
		one				:		01040-010	
None	HOURS TESTED	CHOKE SIZE PRO	D'N. FOR	OIL-BE L.		GAS-MCF	. WATE	R-BBL.	GAS-OIL RATIO
DAIR OF TEST	TOOKS TESTED	TES	T PERIOD						
FLOW, TUBING PRESS.	CASING PRESSURE		BBI	GAS-	-MCF.		WATER-BBL.	OIL	GRAVITY-API (CORR.)
. LUTTE TODAY		24-HOUR RATE							
34. DISPOSITION OF	GAS (Sold, used for fu	el, vented, etc.)		'-		 '	TEST	WITNESSED	ВҰ
35. LIST OF ATTACE	IMENTS								
T.J.o.T.	low Toda /								da .
36. I hereby certify	y that the foregoing	and attached informat	ion is com	plete and cor	rect as	determine	d from all ava	Hable recor	us
)	110	1 1/ //							10 10-66

Movember 16, 1966

W. A. Moncrief and Champlin Petroleum Moncrief Building Ninth @ Commerce Fort Worth, Texas 76102

> Re: Well No. Navajo 29-2, Sec. 29, T. 43 S., R. 25 E., San Juan County, Utah.

Gentlemen:

We are in receipt of your well log for the above mentioned well. However, upon checking this information, we note that you did not report the formation tops or water sands enchuntered while drilling.

Please complete the enclosed Froms OGCC-8-X, in quadruplicate, and return to this office as soon as possible.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

SHARON CAMERON RECORDS CLERK

8C

Enc: Forms.